






















KIMBO '99







Copyright 1986
by C.S. & Tombstone Arts



CAUTION: CHASSIS SURFACE HOT
WARNING: TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK,
DO NOT EXPOSE THIS EQUIPMENT TO RAIN OR MOISTURE

AVIS: RISQUE DE CHOC ELECTRIQUE NE PAS OUVRIR
ATTENTION: SUPERFICIE DE CHASSIS CHAUDE



THIS DEVICE COMPLIES WITH PART 15 OF FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

WARNING: FENDER® AMP-LIFIER SYSTEMS ARE CAPABLE OF PRODUCING VERY HIGH SOUND PRESSURE LEVELS WHICH MAY CAUSE TEMPORARY OR PERMANENT HEARING DAMAGE. USE CARE WHEN SETTING AND ADJUSTING VOLUME LEVELS DURING USE.

WARNING: FENDER AMPLIFIER SYSTEMS ARE CAPABLE OF PRODUCING VERY HIGH SOUND PRESSURE LEVELS WHICH MAY CAUSE TEMPORARY OR PERMANENT HEARING DAMAGE. USE CARE WHEN SETTING AND ADJUSTING VOLUME LEVELS DURING USE.

Laite on liitettävä suojamaadoituskoskettimilla varustettuun pistoraasiaan. Apparater må tilkoples jordat stikkontakt. Apparaten skal anslutas till jordat uttag.

CAUTION: TO REDUCE THE RISK OF FIRE, REPLACE FUSE WITH SAME TYPE AND RATING
ATTENTION: UTILISER UN FUSIBLE DE RECHANGE DE MEME TYPE ET CALIBRE

PARALLEL SPEAKER OUTPUTS

8Ω min TOTAL 33W



PEACE LOVE

PATENT #1,234,567
PATENT PENDING

A PRODUCT OF:
FENDER MUSICAL INSTRUMENTS CORP.
CORONA, CA U.S.A.



WARNING: MAINTAIN 6" CLEARANCE FOR VENTILATION.



CLASS 2 WIRING

株式会社 山野楽器



TYPE: PR 123
SERIAL NUMBER



INPUT POWER
120V~60Hz
606W

FUSE
F3mA L
606V



CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK, DO NOT REMOVE BACK COVER. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED PERSONNEL ONLY.



POWER RATING
250W CONTINUOUS
500W PROGRAM