


3.500

Model " '64 Custom Princeton[®] Reverb"
Production _____

Power consumption 100 watts.

Tube locations left to right at rear:



FENDER MUSICAL INSTRUMENTS CORP.,
311 Cessna Circle Corona, CA 92880 U.S.A.

Laite on liitettävä suojakoskettimilla varustettuun pistorasiaan
Apparatets stikprop skal tilsluttes en stikkontakt
med jord, som giver forbindelse til stikproppens jord.
Apparatet må tilkoples jordnet stikkontakt
Apparaten skall anslutas till jordat uttag

CAUTION: TO REDUCE THE RISK OF FIRE,
REPLACE FUSE WITH SAME TYPE AND RATING

ATTENTION: UTILISER UN FUSIBLE DE
RECHANGE DE MEME TYPE ET CALIBRE

CAUTION: CHASSIS SURFACE HOT

ATTENTION: SUPERFICIE DE CHASSIS
CHAUDE

WARNING: TO REDUCE THE RISK OF
FIRE OR ELECTRIC SHOCK, DO NOT EXPOSE
THIS EQUIPMENT TO RAIN OR MOISTURE

ATTENTION: RISQUE DE CHOC
ELECTRIQUE - NE PAS OUVRIR

CAUTION: TO REDUCE THE RISK OF
ELECTRIC SHOCK, DO NOT REMOVE BACK COVER.
NO USER SERVICEABLE PARTS INSIDE, REFER
SERVICING TO QUALIFIED PERSONNEL ONLY.




WARNING: FENDER AMPLIFIER SYSTEMS
ARE CAPABLE OF PRODUCING VERY HIGH SOUND
PRESSURE LEVELS WHICH MAY CAUSE TEMPORARY
OR PERMANENT HEARING DAMAGE. USE CARE WHEN
SETTING AND ADJUSTING VOLUME LEVELS DURING USE.



P/N 7716446000

6.500

4X R.100



Fender®

Rechargeable Li-ion Battery

锂电池 2INR19/66-3

Model / 型号: 2S3P-BAT-1

CAUTION: Risk of Fire and Burns. Do Not Open,
Crush, Heat Above 140°F/60°C or Incinerate.

Follow Manufacturer's Instructions.

ATTENTION: Risque d'incendie et de brûlures. Ne
pas ouvrir, écraser, chauffer à plus de 140°F/60°C
ou incinérer. Suivez les instructions du fabricant.

禁止拆解、撞击、挤压或投入火中。

若出现严重鼓胀，请勿继续使用。

请勿置于高温环境中(高于140°F/60°C)。

PN 7718704000

7.2V DC, 7800mAh, 56Wh

标称电压: DC $\equiv$ 7.2V

充电限制电压 $\equiv$ 8.4V

额定容量: 7800mAh, 56Wh



フェンダー・
ミュージック(株)



Li-ion



Fender[®]

Genuine
Limited
Edition
Amplifier

Model _____

Features _____

Introduced _____

*This fine product was built especially for
the discriminating enthusiast.*

Enjoy!